



Flexineb and Nuclear Scintigraphy

Nuclear scintigraphy is a helpful diagnostic method generally used, in horses, to look at radioisotope uptake in bone. A radiopharmaceutical is either injected or in this case, inhaled using a Flexineb nebuliser, into the horse and the radiation emitted by the horse is captured by external detectors, a gamma camera to create the image.

The radiopharmaceutical is attached to a drug that travels to a specific area of the body. When you assess the image from the scan, you want to look at the distribution as well as the concentration of the "uptake" of the radiopharmaceutical. The amount and distribution of the uptake gives you an indication of how that specific organ is functioning.

To assess how well the Flexineb is working, it was important to demonstrate how well the nebuliser can deliver medication to the lower airway.



Test Solution	*Dv50 (µm)	% < 5µm
0.9% Saline	4.303	66
0.9% Saline	414	67
Liposomal Antibiotic	3.105	71
* Dv50 (µm) means 50% of droplets are below this value and 50% are above this value.		
Nortev droplet size testing is carried out by independent laboratory @ Melbourn Scientific UK.		

How well the medication is delivery is very important, because many airway diseases involve the lower airway and cannot be properly treated if the size of the nebulised particle is too large to reach the small airways deep in the lung. The particle size required to reach the lower airway is five microns or less in diameter. For perspective on size, a human red blood cell is approximately five microns in diameter. So, the technology to create a particle that size is necessary to be able to treat the lung properly. The Flexineb has been extensively tested and we now know that 71% of the medication inhaled is five microns or less. So, this means that 71% of the drug will reach the lower airways and the rest will likely not get further than the upper airway and trachea.

With today's technology, that is a very competitive and successful percentage. With this data, Flexineb wanted to visually show how well the nebuliser can deliver medication to the lower airway. With the use of the scintigraphy, it is clear that the lung field achieves full exposure to the medication.

All the research was taken by Dr. Nathan Slovis and Hagyard Equine Medical Institute in Lexington. Who performed the imaging to reiterate the effectiveness and quality of therapy that the Flexineb nebuliser can achieve.



To find out more about the Flexineb Nebuliser please contact HAYGAIN hay steamers on (0333) 200 5233 or visit www.haygain.co.uk.